

Author Index

Ajpru, S., see Sugden, D. (72) 176

Banasiak, K.J., Cronin, T. and Haddad, G.G. *bcl-2* Prolongs neuronal survival during hypoxia-induced apoptosis (72) 214

Baumeister, H., Gronostajski, R.M., Lyons, G.E. and Margolis, F.L. Identification of NFI-binding sites and cloning of NFI-cDNAs suggest a regulatory role for NFI transcription factors in olfactory neuron gene expression (72) 65

Beauvillain, J.-C., see Fillebeen, C. (72) 183 Bellavia, D., see Napolitano, M. (72) 89 Benaissa, M., see Fillebeen, C. (72) 183 Bernardi, G., see Napolitano, M. (72) 89 Bhagavan, S., see Pascale, A. (72) 205 Blaschak, C.J., see Zhang, P. (72) 195

Cadet, J.L., see Jayanthi, S. (72) 158
Calabresi, P., see Napolitano, M. (72) 89
Calbet, M., Guadaño-Ferraz, A., Spier, A.D.,
Maj, M., Sutcliffe, J.G., Przewłocki, R. and
De Lecea, L.
Cortistatin and somatostatin mRNAs are
differentially regulated in response to
kainate (72) 55

Centonze, D., see Napolitano, M. (72) 89 Chung, T.-F., see Xiao, G. (72) 121 Coleman, R., see Tendler, Y. (72) 40 Cronin, T., see Banasiak, K.J. (72) 214 Cuello, A.C., see Grant, S.M. (72) 115

De Lecea, L., see Calbet, M. (72) 55 Dexter, D., see Fillebeen, C. (72) 183 Diamond, E., see Tendler, Y. (72) 40 Di Marcotullio, L., see Napolitano, M. (72) 89 Duniec, K., see Sugden, D. (72) 176

Erdtmann-Vourliotis, M., Mayer, P., Linke, R., Riechert, U. and Höllt, V.

Long-lasting sensitization towards morphine in motoric and limbic areas as determined by c-fos expression in rat brain (72) 1

Etcheberrigaray, R., see Pascale, A. (72) 205

Fillebeen, C., Mitchell, V., Dexter, D., Benaissa, M., Beauvillain, J.-C., Spik, G. and Pierce, A. Lactoferrin is synthesized by mouse brain tissue and its expression is enhanced after MPTP treatment (72) 183

Fine, R., see McKeon-O'Malley, C. (72) 103 Fine, R.E., see Xiao, G. (72) 121 Foster, R.G., see Von Schantz, M. (72) 108 Frati, L., see Napolitano, M. (72) 89

Gong, C., see Yang, G.-Y. (72) 129
Grant, S.M., Morinville, A., Maysinger, D., Szyf, M. and Cuello, A.C.
Phosphorylation of mitogen-activated protein kinase is altered in neuroectodermal cells overexpressing the human amyloid precursor protein 751 isoform (72) 115
Gray, A.M., see Phan, T.A. (72) 226
Gronostajski, R.M., see Baumeister, H. (72) 65
Guadaño-Ferraz, A., see Calbet, M. (72) 55

Haddad, G.G., see Banasiak, K.J. (72) 214 Hökfelt, T., see Kopp, J. (72) 17 Höllt, V., see Erdtmann-Vourliotis, M. (72) 1

Gulino, A., see Napolitano, M. (72) 89

Jayanthi, S., Ordonez, S., McCoy, M.T. and Cadet, J.L.
Dual mechanism of Fas-induced cell death in neuroglioma cells: a role for reactive oxygen species (72) 158
Johnson, P.S., see Zhang, P. (72) 195
Johnson, R.J., see Xiao, G. (72) 121
Jope, R.S., see Pacheco, M.A. (72) 138

Kawachi, H., Tamura, H., Watakabe, I.,
Shintani, T., Maeda, N. and Noda, M.
Protein tyrosine phosphatase ζ/RPTPβ interacts with PSD-95/SAP90 family (72) 47
Kerner, H., see Tendler, Y. (72) 40
Kiianmaa, K., see Winkler, A. (72) 166
Kokaia, Z., see Kopp, J. (72) 17
Kopp, J., Nanobashvili, A., Kokaia, Z.,
Lindvall, O. and Hökfelt, T.
Differential regulation of mRNAs for neuropeptide Y and its receptor subtypes in widespread areas of the rat limbic system during kindling epileptogenesis (72) 17

Lavebratt, C., see Petersson, S. (72) 80 Lindvall, O., see Kopp, J. (72) 17 Linke, R., see Erdtmann-Vourliotis, M. (72) 1 Lischinsky, S., see Tendler, Y. (72) 40 Liu, X.-H., see Yang, G.-Y. (72) 129 Lorris Betz,, A., see Yang, G.-Y. (72) 129 Lucas, R.J., see Von Schantz, M. (72) 108 Lyons, G.E., see Baumeister, H. (72) 65

Maeda, N., see Kawachi, H. (72) 47 Mahal, B., see Winkler, A. (72) 166

Maj, M., see Calbet, M. (72) 55 Mao, Y., see Yang, G.-Y. (72) 129 Marfia, G.A., see Napolitano, M. (72) 89 Margolis, F.L., see Baumeister, H. (72) 65 Mayer, P., see Erdtmann-Vourliotis, M. (72) 1 Maysinger, D., see Grant, S.M. (72) 115 McArthur, A.J., see Sugden, D. (72) 176 McCoy, M.T., see Jayanthi, S. (72) 158 McGinty, J.F., see Phan, T.A. (72) 226 McKeon-O'Malley, C., Wells, J., Fine, R., Ullman, M.D. and Volicer, L. PC12 cells transfected with a C-terminal fragment of the amyloid precursor protein (APP C-100), exhibit enhanced sensitivity to the calcium ionophore A23187, and diminished sensitivity to hydrogen peroxide (72) 103

McPhie, D.L., see Pascale, A. (72) 205
Metsis, M., see Palm, K. (72) 30
Mitchell, V., see Fillebeen, C. (72) 183
Montes, A.E., see Zhang, P. (72) 195
Moos, T., Oates, P.S. and Morgan, E.H.
Iron-independent neuronal expression of transferrin receptor mRNA in the rat (72) 231

Morgan, E.H., see Moos, T. (72) 231 Morinville, A., see Grant, S.M. (72) 115

Nakayama, K., see Tian, Q.B. (72) 147
Nanobashvili, A., see Kopp, J. (72) 17
Napolitano, M., Marfia, G.A., Vacca, A.,
Centonze, D., Bellavia, D., Di Marcotullio, L., Frati, L., Bernardi, G., Gulino, A. and Calabresi, P.
Modulation of gene expression following long-term synaptic depression in the striatum (72) 89

Nelson, T.J., see Pascale, A. (72) 205
Neve, R.L., see Pascale, A. (72) 205
Noda, M., see Kawachi, H. (72) 47
Numan, S. and Russell, D.S.
Discrete expression of insulin receptor substrate-4 mRNA in adult rat brain (72) 97

Nyce, J.W., see Phan, T.A. (72) 226

Oates, P.S., see Moos, T. (72) 231 Okano, A., see Tian, Q.B. (72) 147 Ordonez, S., see Jayanthi, S. (72) 158

Pacheco, M.A. and Jope, R.S.

Modulation of carbachol-stimulated AP-1

DNA binding activity by therapeutic agents for bipolar disorder in human neuroblastoma SH-SY5Y cells (72) 138

- Palm, K., Metsis, M. and Timmusk, T.

 Neuron-specific splicing of zinc finger transcription factor REST/NRSF/XBR is frequent in neuroblastomas and conserved in human, mouse and rat (72) 30
- Pascale, A., Bhagavan, S., Nelson, T.J., Neve, R.L., McPhie, D.L. and Etcheberrigaray, R. Enhanced BK-induced calcium responsiveness in PC12 cells expressing the C100 fragment of the amyloid precursor protein (72) 205
- Petersson, S., Sandberg Nordqvist, A.-C., Schalling, M. and Lavebratt, C. The megencephaly mouse has disturbances in the insulin-like growth factor (IGF) system (72) 80
- Phan, T.A., Gray, A.M., Nyce, J.W. and McGinty, J.F.
 Autoradiographic evidence that intrastriatal administration of adenosine A₁ receptor antisense oligodeoxynucleotide decreases adenosine A₁ receptors in the rat striatum and cortex (72) 226

Pierce, A., see Fillebeen, C. (72) 183 Piggins, H.D., see Sugden, D. (72) 176 Przewłocki, R., see Calbet, M. (72) 55 Pyun, H.Y., see Xiao, G. (72) 121

Riechert, U., see Erdtmann-Vourliotis, M. (72) 1

Rotter, V., see Tendler, Y. (72) 40 Russell, D.S., see Numan, S. (72) 97

Sandberg Nordqvist, A.-C., see Petersson, S. (72) 80 Schalling, M., see Petersson, S. (72) 80 Seidleck, B.K., see Zhang, P. (72) 195 Shintani, T., see Kawachi, H. (72) 47
Spanagel, R., see Winkler, A. (72) 166
Spier, A.D., see Calbet, M. (72) 55
Spik, G., see Fillebeen, C. (72) 183
Sugden, D., McArthur, A.J., Ajpru, S., Duniec, K. and Piggins, H.D.
Expression of mt₁ melatonin receptor subtype mRNA in the entrained rat suprachiasmatic nucleus: a quantitative RT-PCR study across the diurnal cycle (72) 176
Surratt, C.K., see Zhang, P. (72) 195
Sutcliffe, J.G., see Calbet, M. (72) 55
Suzuki, T., see Tian, Q.B. (72) 147

Tamura, H., see Kawachi, H. (72) 47
Tendler, Y., Weisinger, G., Coleman, R.,
Diamond, E., Lischinsky, S., Kerner, H.,
Rotter, V. and Zinder, O.
Tissue-specific p53 expression in the nervous system (72) 40

Szyf, M., see Grant, S.M. (72) 115

Tian, Q.B., Nakayama, K., Okano, A. and Suzuki, T.
Identification of mRNAs localizing in the postsynaptic region (72) 147
Timmusk, T., see Palm, K. (72) 30

Ullman, M.D., see McKeon-O'Malley, C. (72) 103

Vacca, A., see Napolitano, M. (72) 89
Volicer, L., see McKeon-O'Malley, C. (72) 103
Von Schantz, M., Lucas, R.J. and Foster, R.G.
Circadian oscillation of photopigment transcript levels in the mouse retina (72) 108

Wang, W., see Zhang, P. (72) 195
Wang, Z., see Zhang, P. (72) 195
Watakabe, I., see Kawachi, H. (72) 47
Weisinger, G., see Tendler, Y. (72) 40
Wells, J., see McKeon-O'Malley, C. (72) 103
Winkler, A., Mahal, B., Kiianmaa, K.,
Zieglgänsberger, W. and Spanagel, R.
Effects of chronic alcohol consumption on the expression of different NR1 splice variants in the brain of AA and ANA lines of rats (72) 166

Xiao, G., Chung, T.-F., Pyun, H.Y., Fine, R.E. and Johnson, R.J.KDEL proteins are found on the surface of NG108-15 cells (72) 121

Yang, G.-Y., Mao, Y., Zhou, L.-F., Ye, W., Liu, X.-H., Gong, C. and Lorris Betz., A. Attenuation of temporary focal cerebral ischemic injury in the mouse following transfection with interleukin-1 receptor antagonist (72) 129

Ye, W., see Yang, G.-Y. (72) 129

Zhang, P., Johnson, P.S., Zöllner, C., Wang, W., Wang, Z., Montes, A.E., Seidleck, B.K., Blaschak, C.J. and Surratt, C.K. Mutation of human μ opioid receptor extracellular "disulfide cysteine" residues alters ligand binding but does not prevent receptor targeting to the cell plasma membrane (72) 195

Zhou, L.-F., see Yang, G.-Y. (72) 129 Zieglgänsberger, W., see Winkler, A. (72) 166 Zinder, O., see Tendler, Y. (72) 40 Zöllner, C., see Zhang, P. (72) 195